



SUBJECT and GRADE	Mathematics Grade 10	
TERM 1	Week 3: Algebraic Expressions	
TOPIC	Algebraic Fractions	
AIMS OF LESSON	To simplify Algebraic fractions	
RESOURCES	Paper based resources	Digital resources
	Please refer to the chapter in your textbook on Algebraic Fractions.	https://www.youtube.com/watch?v=OiBN-Xd2wek https://www.youtube.com/watch?v=1BQmy11Mko8 https://www.youtube.com/watch?v=2SSGrCzT4Y0 https://www.youtube.com/watch?v=uO-hCeFPXjo
INTRODUCTION	In this lesson we will look at the simplification of Algebraic Fractions. It latches on work on fractions from previous grades and forms an important basis for further study in Mathematics.	
CONCEPTS/ SKILLS	<ul style="list-style-type: none"> simplify fractions by cancelling simplify fractions by factorising first multiplication/ division of algebraic fractions addition/ subtraction of algebraic fractions using an LCM (lowest common multiple) 	
Lesson 1	Revision of Gr 9 Algebraic Fractions	
Simplifying fractions:	<p>NB! We can ONLY divide (cancel) the same term/ same bracket if the numerator AND denominator is ONE term (product expression) or they consist of the same term(s)</p>	<p>CAN YOU?</p> <p>Simplify the following expressions:</p> <ol style="list-style-type: none"> $\frac{48}{42}$ $\frac{x^2ya^3}{xy}$ $\frac{2x(2x-1)}{6x^2(2x-1)^3}$ $\frac{x^2-x+3}{x^2-x+3}$ $\frac{3x-2}{x-2}$ $\frac{36a^2b^5}{6ab}$ $\frac{63xy^5}{28x^3}$ $\frac{3(-2x^2y)^3(xy^3)^2}{12x^7y^{10}}$
Example 1: $\frac{\cancel{2}4}{\cancel{2}6} = \frac{12 \times 2}{12 \times 3} = \frac{2}{3}$		
Example 2: $\frac{y^2}{y^3} = \frac{\cancel{y} \times \cancel{y}}{\cancel{y} \times y \times y} = \frac{1}{y}$		
Example 3: $\frac{2(x+3)^2}{10(x+3)} = \frac{\cancel{2}(x+3)(x+3)}{\cancel{2} \times 5(x+3)} = \frac{x+3}{5}$		
Example 4: $\frac{\cancel{2x+3}}{\cancel{2x+3}} = 1$		
Example 5: $\frac{2x+3}{x+3}$	<p>We CANNOT cancel the 3 since the numerator and denominator is not ONE TERM and/or the terms are not the same; Answer remains $\frac{2x+3}{x+3}$</p>	

Example 6: Simplify: $\frac{12x^4y}{20xy^3} = \frac{4 \times 3x \cdot x^3y}{4 \times 5xy \cdot y^2}$

$$= \frac{3x^3}{5y^2}$$

You do not need to show this step!!

Example 7: $\frac{2(3x)^2(-xy)^3}{6x^5y^4} = \frac{2(3^2x^2)(-x^3y^3)}{6x^5y^4}$

$$\frac{-18x^5y^3}{6x^5y^4} = -\frac{3}{y}$$

Remove brackets by applying exponent laws

- Answers:**
- | | |
|---------------------------|------------------------|
| 1. $\frac{8}{7}$ | 6. $6ab^4$ |
| 2. xa^3 | 7. $\frac{9y^2}{4x^2}$ |
| 3. $\frac{1}{3x(2x-1)^2}$ | 8. $\frac{-2x}{y}$ |
| 4. 1 | |
| 5. $\frac{3x-2}{x-2}$ | |

Lesson 2 **Grade 10 Algebraic Fractions where numerators and/ or denominators must be factorised**

Simplify the following:

Example 1: $\frac{4x+6}{2}$

$$= \frac{2(2x+3)}{2}$$

$$= 2x + 3$$

We cannot divide with 2 since the numerator is not a monomial (one term). To make a polynomial (sum expression) a monomial (product expression) we must **FACTORISE**

Example 2: $\frac{3a^2+6a}{6a}$

$$= \frac{3a(a+2)}{6a} = \frac{a+2}{2}$$

We cannot divide with 6a since the numerator is not a monomial (one term). Hence, factorise numerator first

Example 3: $\frac{2x^2-8}{x-2} = \frac{2(x^2-4)}{x-2}$

$$= \frac{2(x+2)(x-2)}{(x-2)}$$

$$= 2(x+2)$$

Remember? 1st look for Common factor. If 2 terms \Rightarrow look for difference of 2 squares, etc.

NOTE: We can put $x - 2$ in a bracket, since there are NO other terms in the denominator.

Example 3: $\frac{-18x-36}{6x^2-6x-36}$

$$= \frac{-18(x+2)}{6(x^2-x-6)} = \frac{-18(x+2)}{6(x-3)(x+2)} = \frac{-3}{x-3}$$

Again: We cannot cancel the -3 since the denominator is not 1 term; it is thus in its simplest form. minator.

CAN YOU?

- Simplify:
- | | |
|--|-------------------------------|
| 1. $\frac{2m-4n+6p}{2}$ | 12. $\frac{x^3-y^3}{x^2-y^2}$ |
| 2. $\frac{x^2-2x}{2x}$ | 13. $\frac{x^2-2x+3}{2x}$ |
| 3. $\frac{(x-2)(3x-2)}{(x-2)}$ | |
| 4. $\frac{4x^3+4x^2+5x+5}{4x^2+5}$ | |
| 5. $\frac{(a+b)^2}{a^2+ab}$ | |
| 6. $\frac{a^2+a}{a^2+2a+1}$ | |
| 7. $\frac{mx-nx}{ny-my}$ | |
| 8. $\frac{3x^2-8x-3}{6x^2+2x}$ | |
| 9. $\frac{p^3+xp^2-y^2p-xy^2}{p^2+py+px+xy}$ | |
| 10. $\frac{x^2-4}{x^2-4x+4}$ | |
| 11. $\frac{3x^2-6x+12}{x^3+8}$ | |

- Answers:**
- | |
|--------------------------------------|
| 1. $m - 2n + 3p$ |
| 2. $\frac{x-2}{2}$ |
| 3. $3x - 2$ |
| 4. $x + 1$ |
| 5. $\frac{a+b}{a}$ |
| 6. $\frac{a}{a+1}$ |
| 7. $\frac{-x}{y}$ |
| 8. $\frac{x-3}{2x}$ |
| 9. $p - y$ |
| 10. $\frac{x+2}{x-2}$ |
| 11. $\frac{3}{x+2}$ |
| 12. $\frac{(x^2+xy+y^2)}{(x+y)}$ |
| 13. $\frac{x}{2} - 1 + \frac{1}{2x}$ |

Lesson 3

Multiplication and Division of Algebraic Fractions

Rules:

$$1. \frac{a}{b} \times \frac{c}{d} = \frac{ac}{bd}; b, d \neq 0$$

$$2. \frac{a}{b} \div \frac{c}{d} = \frac{a}{b} \times \frac{d}{c}$$

Simplify:

$$\begin{aligned} \text{Example 1: } & \frac{a+b}{a-b} \times \frac{b-a}{a} \\ &= \frac{(a+b)}{(a-b)} \times \frac{-(a-b)}{a} \\ &= \frac{-(a+b)(a-b)}{a(a-b)} \\ &= -\frac{(a+b)}{a} \end{aligned}$$

Impact of \times and \div :

$$1. p \times q \div z = \frac{p}{1} \times \frac{q}{1} \times \frac{1}{z}$$

$$2. p \div q \times z = \frac{p}{1} \times \frac{1}{q} \times \frac{z}{1}$$

$$3. p \div q \div z = \frac{p}{1} \times \frac{1}{q} \times \frac{1}{z}$$

$$4. p \div (q+z) = p \times \frac{1}{(q+z)}$$

$$5. \frac{-a}{b} = \frac{a}{-b} = -\frac{a}{b}$$

$$6. b-a = -(a-b)$$

Rule 1: numerator \times numerator and denominator \times denominator

$$\begin{aligned} \text{Example 2: } & \frac{2a^2-ab}{5} \times \frac{15}{(2a-b)} \\ &= \frac{a(2a-b)}{5} \times \frac{15}{(2a-b)} \\ &= \frac{15a(2a-b)}{5(2a-b)} = 3a \end{aligned}$$

\times and \div combine terms into a monomial, hence we can cancel the same term/ bracket in the numerator and denominator

$$\begin{aligned} \text{Example 3: } & \frac{p^2-2p}{4} \div \frac{pq-2q}{8} \\ &= \frac{p^2-2p}{4} \times \frac{8}{pq-2q} \\ &= \frac{8(p^2-2p)}{4(pq-2q)} = \frac{8p(p-2)}{4q(p-2)} = \frac{2p}{q} \end{aligned}$$

Rule 2: If we \div , we \times the dividend with the *multiplicative inverse* of the divisor, called the *reciprocal*.

$$\begin{aligned} \text{Example 4: } & \frac{3x^2+3x}{8x^3+27} \div \frac{x+1}{2x^2+x-3} \times \frac{4x^2-6x+9}{x-1} \\ &= \frac{3x^2+3x}{8x^3+27} \times \frac{2x^2+x-3}{x+1} \times \frac{4x^2-6x+9}{x-1} \\ &= \frac{3x(x+1)}{(2x+3)(4x^2-6x+9)} \times \frac{(2x+3)(x-1)}{(x+1)} \times \frac{(4x^2-6x+9)}{(x-1)} \\ &= 3x \end{aligned}$$

CAN YOU?

Simplify:

$$1. \frac{4a}{3xy} \div \frac{2a}{6x^2}$$

$$2. \frac{4ay}{3xy} \times \frac{2by}{6y^2} \div \frac{5ax}{9x^2y}$$

$$3. \frac{3(a-2)}{(a+2)} \div \frac{4a-8}{a^2-4}$$

$$4. \frac{2a-4+ab-2b}{ab+2a} \times \frac{1}{a^2-4}$$

$$5. \frac{x^2-3x}{4-x^2} \times \frac{x^2-2x}{x^2-2x-3}$$

$$6. \frac{p^2-4}{2p+1} \div \frac{p^2-2p}{2p^2-5p-3}$$

$$7. \frac{y^3-1}{3+2y-y^2} \times \frac{y^2-1}{y^2-2y+1}$$

$$8. \frac{b^2-a^2}{a^2-ab-2b^2} \div \frac{a^2-3ab+2b^2}{a^2-4ab+4b^2}$$

$$9. \frac{2x}{2x-6} \div \frac{2x^2+4x}{2x^2-18} \times \frac{x^2+4x+4}{x^2+5x+6}$$

Answers:

$$1. \frac{4x}{y}$$

$$2. \frac{b}{5}$$

$$3. \frac{3(a-2)}{4}$$

$$4. \frac{1}{a(a+2)}$$

$$5. \frac{-x^2}{(x+2)(x+1)}$$

$$6. (p+2)(p-3)$$

$$7. \frac{-(y^2+y+1)}{(y-3)}$$

$$8. -1$$

$$9. 1$$

the **dividend**
(the number to divide into)

the **divisor** (the number with which we divide)

$$\text{NOTE: } 6x^2 \div 2x = 3x$$

the **quotient** (the answer when we divide)

Lesson 4 + 5

Addition and Subtraction of Algebraic Fractions

Rules:

- $\frac{a}{b} + \frac{c}{b} = \frac{a+c}{b}$

If the denominators are the same, we add the numerators (denominator remains the same)

Example 1: $\frac{2}{5} + \frac{1}{5} = \frac{1+2}{5} = \frac{3}{5}$

Example 2: $\frac{2x}{7y} - \frac{3}{7y} = \frac{2x-3}{7y}$

If the denominators different, we can make them the same by using the LCM (Lowest Common Multiple)

- $\frac{a}{b} + \frac{c}{d} = \frac{a(d)}{bd} + \frac{c(b)}{bd} = \frac{a(d)+c(b)}{bd}$

LCM: Smallest number into which **each** denominator can divide.

Determine the LCM of:

Break up numbers into factors.
LCM: product of highest power of each **different** factor

- 2, 6 and 8
∴ 2, (2 × 3) and (2 × 4) ⇒ LCM: 2 × 3 × 4 = **24**
- 2, 4 and 6 ∴ 1, 2² and 2 × 3 ⇒ LCM: 1 × 2² × 3 = **12**
- 5 and 7 ⇒ LCM: 5 × 7 = **35**
- x, x² and x³ ⇒ LCM is the **highest power** of x ∴ **x³**
- 2x, (x - 4) and 3 ⇒ LCM: **6x(x - 4)**
- (x² + 1), (x + 1) and (x + 1)² ⇒ LCM: (x² + 1)(x + 1)²
- x² - x, (x - 1)² and x² : **factorise terms first:**
∴ x(x - 1), (x - 1)² and x² ⇒ LCM: x²(x - 1)²
- (x + 2) and (x - 1) ⇒ LCM: (x + 2)(x - 1)

NOTE: x² + 1 ≠ (x + 1)²
they are thus different factors

Equivalent fractions: Fractions with the same value but different denominators: e.g. $\frac{1}{2} = \frac{3}{6} = \frac{7}{14}$, etc.

Example 3: $\frac{2}{3} + \frac{5}{6} = \frac{4}{6} + \frac{5}{6} = \frac{9}{6}$

LCM of **3** and **6** is **6**. Hence we change $\frac{2}{3}$ to its equivalent fraction with denominator **6**, which is $\frac{4}{6} : \left[\frac{2 \times (2)}{3 \times (2)} \right]$

Example 4: $\frac{2}{a^2b} - \frac{3}{ab} + \frac{4}{a}$

$$= \frac{2(1) - 3(a) + 4(ab)}{a^2b}$$

LCM: **a²b**.
Divide each denominator into the LCM and × with numerator. Write fraction with LCM as common denominator

$$= \frac{2 - 3a + 4ab}{a^2b}$$

CAN YOU?

Simplify

1. $\frac{x+y}{x} - \frac{y^2+x^2}{x^2}$

2. $\frac{3a-1}{2a^2} + \frac{2}{3a} - \frac{a-3}{3a^2}$

3. $\frac{3}{(x+5)} - \frac{3}{(x+3)}$

4. $\frac{3}{(x+1)} - \frac{2x}{(x-1)^2}$

5. $\frac{3}{(x+2)} + \frac{2}{(1-2x)}$

6. $\frac{2}{(x^2-7x+12)} - \frac{1}{(x^2-4x+3)}$

7. $\frac{a-2}{a^2+4a+4} + \frac{3}{a+2}$

8. $\frac{b}{b+3} - \frac{6b}{9-b^2}$

9. $\frac{2}{(x^2+6x+8)} - \frac{1}{(x^2+5x+6)}$

10. $\frac{2a+1}{3a^3+24} - \frac{4}{3a+6} + \frac{1}{2a^2-4a+8}$

Example 5: $\frac{3}{(x+1)^2} - \frac{2}{3x+3}$

$$= \frac{3}{(x+1)^2} - \frac{2}{3(x+1)}$$

Factorise
denominators first

$$= \frac{3(3)-2(x+1)}{3(x+1)^2}$$

LCM: $3(x+1)^2$

$$= \frac{9-2x-2}{3(x+1)^2} = \frac{7-2x}{3(x+1)^2}$$

Example 6: $\frac{p}{p^2-16} - \frac{p+1}{p^2-3p-4}$

$$= \frac{p}{(p+4)(p-4)} - \frac{p+1}{(p-4)(p+1)}$$

Factorise
denominators first

$$= \frac{p(p+1)-(p+1)(p+4)}{(p+1)(p-4)(p+4)} = \frac{p^2+p-(p^2+5p+4)}{(p+1)(p-4)(p+4)} = \frac{p^2+p-p^2-5p-4}{(p+1)(p-4)(p+4)}$$

$$= \frac{-4p-4}{(p+1)(p-4)(p+4)} = \frac{-4(p+1)}{(p+1)(p-4)(p+4)} = \frac{-4}{(p-4)(p+4)}$$

Answers:

1. $\frac{y(x-y)}{x^2}$

2. $\frac{5a-3}{2a^2}$

3. $\frac{-6}{(x-5)(x+3)}$

4. $\frac{x^2-8x+3}{(x+1)(x-1)^2}$

5. $\frac{(4x-7)}{(x+2)(2x-1)}$

6. $\frac{(x+2)}{(x-4)(x-3)(x-1)}$

7. $\frac{4(a+1)}{(a+2)^2}$

8. $\frac{b}{b-3}$

9. $\frac{1}{(x+4)(x+3)}$

10. $\frac{-8a^2+25a-24}{6(a+2)(a^2-2a+4)}$

Mixed Exercise on Algebraic Fractions

Revision Exercise

1. $1 \frac{-16x^2y^3}{4x^3y^2}$

2. $\frac{3x^3-2x^2-5x}{x^2+x}$

3. $\frac{3x^2-2x-1}{x^2-1}$

4. $\frac{(x-5)^2}{x^2-2x-15}$

5. $\frac{ax+ay-cx-cy}{ax+ay+cx+cy}$

6. $\frac{(x-5)^2}{x^2-2x-15} \times \frac{3x^2+24x+45}{x^2-25} \div \frac{3x^2-9x}{x^2-9}$

7. $\frac{x+3}{x^2-1} - \frac{3}{x^2+2x+1}$

8. $\frac{2}{x-1} + \frac{3}{1-x} + \frac{2}{x^2-1}$

Revision Exercise Answers:

1. $\frac{-4y^2}{x}$

2. $3x - 5$

3. $\frac{3x+1}{x+1}$

4. $\frac{x-5}{x+3}$

5. $\frac{a-c}{a+c}$

6. $\frac{x+3}{x}$

7. $\frac{x^2+x+6}{(x+1)^2(x-1)}$

8. $\frac{-1}{x+1}$

ACTIVITIES

Consider other exercises from your Mathematics Textbook

CONSOLIDATION

- We can ONLY divide (cancel) the **same term/ same bracket** if the numerator AND denominator is ONE term (product expression) or they consist of the same term(s); if it is not, FACTORISE numerator and denominator
- $\frac{-a}{b} = \frac{a}{-b} = -\frac{a}{b}$
- Rules for \times and \div of algebraic fractions:
 - $\frac{a}{b} \times \frac{c}{d} = \frac{ac}{bd}$; $b, d \neq 0$
 - $\frac{a}{b} \div \frac{c}{d} = \frac{a}{b} \times \frac{d}{c}$
- Rules for $+$ and $-$ of algebraic fractions:
 - factorise first and find the LCM of the denominators
 - $\frac{a}{b} + \frac{c}{b} = \frac{a+c}{b}$
 - if the denominators are different, we can make them the same by using the LCM (Lowest Common Multiple)

VALUES

Dear learner. Hope you are still practicing Mathematics every day. Hang in there. Your HARD WORK will REAP SUCCESS.